




Electric tow tractor



EZS 130

Load capacity: 3000 kg

EZS 130



EZS 130



VDI table

Stand-on: 10/2020

Characteristic	1.1	Manufacturer (abbreviated description)		Jungheinrich	
	1.2	Manufacturer's type designation		EZS 130	
	1.3	Drive		Electric	
	1.4	Operation		Stand-on	
	1.5	Load capacity/load	Q	kg	3000
	1.7	Rated drawbar pull		N	600
	1.9	Wheelbase	y	mm	930
Weights	2.1.1	Service weight (incl. battery)		kg	525
	2.3	Axle load unladen front/rear		kg	320 / 205
Wheels/suspension system	3.1	Tyres			Vulkollan
	3.2	Tyre size, front			ø230 x 78
	3.3	Tyre size, rear			ø250 x 80
	3.5	Wheels, number front/back (x=driven)			1 x / 2
	3.7	Tread width, rear	b ₁₁	mm	485
Basic dimensions	4.8	Seat height/stand height	h ₇	mm	122
	4.9	Height of tiller handle in drive position min./max.		mm	1374 /
	4.12	Coupling height	h ₁₀	mm	158
	4.19	Overall length	l ₁	mm	1270
	4.21.1	Overall width	b ₁	mm	600
	4.32	Ground clearance centre of wheelbase	m ₂	mm	50
	4.35	Turning radius	W _a	mm	1080
Performance data	5.1	Travel speed laden/unladen		km/h	9 / 10.5
	5.5	Drawbar pull laden/unladen		N	600
	5.6	Max. drawbar pull laden/unladen		N	2000
	5.10	Service brake			electromagnetic
E-motor/ Electronics	6.1	Drive motor, performance S2 60 min		kW	2.8
	6.4	Battery voltage/nominal capacity		V / Ah	24 / 200
	6.5	Battery weight		kg	170
	6.6.1	Energy consumption according to EN cycle		kWh/h	0.75
	6.6.2	CO2 equivalent as per EN 16796		kg/h	0.4
Other	8.1	Type of drive control			AC speedCONTROL
	10.5	Steering version			electric
	10.7	Sound level as per EN12053, operator's ear		dB (A)	57

- This data sheet according to VDI guideline 2198 only states the technical values of the standard truck. Different tyres, other masts, additional equipment etc. may result in different values.

The German production facilities in
Norderstedt, Moosburg and Landsberg
are certified.

ISO 9001
ISO 14001

Jungheinrich fork lift trucks meet
European safety requirements.



 **JUNGHEINRICH**